



FENDONA[®] 15 sc

A Residual Insecticide for Control of Ants, Carpet Beetles, Common House Borer, Cockroaches, Fleas, Flies, Mosquitoes, Silverfish, Slaters, Spiders in Domestic, Industrial and Public Health Situations.

Contains 15 g/litre alpha-cypermethrin in the form of a suspension concentrate.

WARNING

Keep out of reach of children
Read label completely before
opening or using

NET CONTENTS: 2.5 Litres

Distributed by:
BASF New Zealand Limited
P.O. Box 407, Auckland 1140
Phone: 0800 932 273 ext.2
Fax: 0800 940 000

© Registered Trademark of BASF

Hazard Classification

6.1E 6.5B 6.9B 9.1A 9.3C 9.4B

**WARNING**

HARMFUL. This substance may be harmful if swallowed, inhaled or absorbed through the skin, and may be an irritant to individuals with sensitive skin. Skin contact may cause temporary skin numbness. May cause sensitisation from prolonged skin contact. May cause organ damage from repeated oral exposure at high doses.

VERY TOXIC TO AQUATIC LIFE WITH LONGLASTING EFFECTS. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites.

HARMFUL TO TERRESTRIAL VERTEBRATES.

TOXIC TO TERRESTRIAL INVERTEBRATES. Toxic to bees (insecticide).

PRECAUTIONS

HANDLING: This product must be under the personal control of an APPROVED HANDLER when applied in a wide dispersive manner or used by a commercial contractor.

STORAGE: Store in original container, tightly closed, away from foodstuffs, and out of direct sunlight. Stores containing more than 100 litres require emergency response plans and secondary containment systems, and are subject to signage.

TRANSPORT: Do NOT carry on a passenger service vehicle.

SPILLAGE: Prevent further spillage and product from entering waterways. Wear overalls, gloves, footwear, facemask or goggles. Absorb spill with an inert absorbent material (e.g. vermiculite) and place in sealable container for disposal. Wash affected area with water and alkaline detergent. Absorb and collect washings and place in the same sealable container as the spilled material. Dispose of the waste safely in an approved landfill.

PERSONAL PROTECTION: When mixing and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, suitable gloves, and goggles or a face shield.

GENERAL SAFETY AND HYGIENE MEASURES: Avoid contact with skin, eyes and clothing, and inhalation of spray mist. Do NOT eat, drink or smoke while using this product. Remove protective clothing and wash hands and exposed skin after spraying and before eating, drinking, smoking or using the toilet. Wash the outside of gloves before removing. Wash protective clothing immediately after use. Keep and wash work clothing separately from other laundry.

USE: Remove pets. Apply with well-maintained and accurately calibrated spray equipment designed to produce fine spray droplets. Toxic to bees (insecticide). Spray must not contact plants in flower if they are likely to be visited by bees. Do NOT allow spray drift outside the target area to occur. Do NOT spray over, or allow drift over, surface water. Clean out the sprayer thoroughly after use. Do NOT contaminate water when disposing of equipment wash waters.

RECORD KEEPING: Records of use must be kept if using more than 3L within a 24 hour period.

NOTE: Storage, application and record keeping must be as described in the current version of the New Zealand Standard for the Management of Agrichemicals NZS8409.

DISPOSAL: Container: Triple rinse empty container and add rinsate to the spray tank. Recycle the rinsed container through Agrecovery (0800 247 326, www.agrecovery.co.nz).

Otherwise crush and bury in a suitable landfill. Product: Dispose of this product only by using according to the label or at an approved landfill. Do NOT burn product. Do NOT contaminate surface water with chemical or empty container.

FIRST AID

If swallowed, do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISONS (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Do NOT scrub the skin. If splashed in eyes, wash out immediately with water.

GENERAL INFORMATION

FENDONA 15SC controls insects by contact action and ingestion. When applied as a surface spray, FENDONA 15SC has residual activity. FENDONA 15SC is suitable for use in domestic and public areas including agricultural and commercial premises, in public buildings including hospitals, hotels and restaurants, and in industrial premises including meatworks and food processing plants.

DIRECTIONS FOR USE

NOTE: Evacuate premises to be sprayed. The premises may be re-occupied as soon as spray applications are dry. Before spraying remove pets, and cover or remove fish tanks and bird cages. Do NOT spray on personal contact items e.g. clothing, footwear, towels or bedding. Do NOT allow spray to contact food, food preparation surfaces or food utensils. Remove or cover all foodstuffs before application. Wash all food contact surfaces thoroughly before reintroducing any foodstuffs. Do NOT use where food packaging materials (carton, liners etc.) are stored or assembled. Do NOT use near air vents or ducts in food stores or processing plants while they are in operation.

Situation	Pest	Rate	Critical Comments
Domestic, Agricultural, Commercial, Public and Industrial Premises	Ants Carpet Beetles Common Fleas Flies Mosquitoes Silverfish Slaters Spiders	Initial treatment or Extended control or Heavy infestations: 200 ml in 5 litres of water Maintenance treatment or Short term control or Light infestations: 100 ml in 5 litres of water	Apply as a fine spray to wet the surface, but not to the point where the spray collects in drips and runs off. Apply 5 litres of spraymix per 100 square metres. If a lower water rate is required, adjust the quantity of FENDONA 15SC added to the spray tank to ensure that a minimum 2 ml FENDONA 15SC is applied per square metre for initial treatments, extended control, heavy infestations or cockroach control. For maintenance treatments, short-term control or light infestations, ensure that a minimum 1 ml FENDONA 15SC is applied per square metre.
	Cockroaches	200 ml in 5 litres of water	
	House Borer (<i>Anobium punctatum</i>)	100 ml in 5 litres of water	For Borer apply by brush or spray for the treatment and protection of <u>uninfested</u> timber only.
Animal Housing Areas	Nuisance and Biting Flies	200 to 340 ml in 5 litres of water	Use the higher rate under high pest pressure or when treated surfaces are exposed to weather.

WHERE TO APPLY

Ants: Nests, runs, walls and places where ants are seen. Cockroaches: Walls, skirting boards, cupboards, behind sinks, stoves and pipes, paying particular attention to cracks and crevices. Flies and Mosquitoes: Walls, ceilings, windowsills and other sheltered areas/exposed surfaces. Fleas, silverfish, slaters, and carpet beetles: Skirting, floors, carpet, kennels, bedding and adjacent wall area. Common House Borer (*Anobium punctatum*): Uninfested wooden joinery, cupboards, doors, skirting, and furniture. Spiders: Nests, hiding places and exposed surfaces.

MIXING

Invert the container several times before opening. Carefully measure the required amount of FENDONA 15SC in a graduated cylinder and add to half the required volume of water in the spray tank. Top up with the remainder of the water and agitate thoroughly. If a delay occurs between treatments, agitate before re-use. Do not store diluted insecticide. Prepare a fresh suspension as necessary.

APPLICATION

FENDONA 15SC can be applied with a knapsack sprayer or other conventional spray equipment used to control public health pests. A higher volume of spray may be required on very absorbent surfaces. If there is a concern about the possible effect of FENDONA 15SC on the surface to be sprayed, a small test area should be sprayed first to check compatibility.

INSECTICIDE RESISTANCE

Some naturally occurring biotypes resistant to FENDONA 15SC and other synthetic pyrethroid insecticides may exist through natural genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if FENDONA 15SC and other-synthetic pyrethroids are used repeatedly. The effectiveness of FENDONA 15SC on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF New Zealand Limited accepts no liability for any losses that may result from the failure of FENDONA 15SC to control the resistant insects.

CONDITIONS OF SUPPLY

Read conditions of supply before buying and using. If these conditions are unacceptable, return at once unopened. All goods supplied by BASF New Zealand Limited are of a high grade and conform to the chemical description of the label. However, to the extent permitted by law, neither BASF nor any of its Distributors accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential, howsoever arising, in connection with the supply of those goods including without limitation their storage, application, handling or use. BASF New Zealand Limited, nor any of its Distributors, make no warranties of any kind, express or implied, with respect to fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter with respect to these goods. When you are a consumer as defined in the Consumer Guarantees Act 1993 (the "Act") these conditions will be subject to the provisions of the Act. However the Act will not apply to goods supplied to you for business purposes.

Approved pursuant to the HSNO Act 1996, Code HSR000286.
See www.epa.govt.nz for approval conditions.

NZFSA Approved Type B (All animal product except dairy).
AsureQuality Assessed for Use in Food/Beverage/Dairy Factories Category B.

Date of Manufacture:
Batch Number:

EMERGENCY PHONELINK
24 Hour Advice in an Emergency Only
0800 944 955

BAR CODE
BAR CODE
9414868330055
BAR CODE
BAR CODE