

## WARNING

KEEP OUT OF REACH OF CHILDREN  
READ LABEL COMPLETELY BEFORE OPENING OR USING

 **TERMIDOR<sup>®</sup> 100SC**

**RESIDUAL TERMITICIDE and INSECTICIDE**

**For the control of ants, cockroaches, earwigs, houseflies, house crickets, web-spinning spiders, daddy-long-legs spiders, millipedes, slaters and termites (subterranean, damp wood and dry wood termites) in external areas and surrounds of domestic, commercial, public and industrial buildings and structures.**

Contains 100 g/litre fipronil in the form of a suspension concentrate.

**TO BE USED BY REGISTERED PEST CONTROL TECHNICIANS ONLY**

**1 L**

Registered to and distributed by:  
BASF New Zealand Limited  
P.O. Box 407, Auckland 1140  
Phone: 0800 932 273  
Fax: 0800 940 000

 **BASF**  
We create chemistry

### Hazard Classification

6.1D, 6.9B, 9.1A, 9.3B, 9.4A



### WARNING

**HARMFUL.** May be harmful if swallowed, inhaled or absorbed through the skin. May cause damage to the nervous system from repeated oral exposure at high doses. **VERY TOXIC TO AQUATIC ORGANISMS.** Treatment runoff may be hazardous to aquatic organisms in neighbouring areas. **TOXIC TO TERRESTRIAL VERTEBRATES.** Toxic to birds. **VERY TOXIC TO TERRESTRIAL INVERTEBRATES.** Toxic to bees.

### PRECAUTIONS

**HANDLING:** This product must be under the personal control of an APPROVED HANDLER during use in a wide dispersive manner or by a commercial contractor.

**STORAGE:** Store in original container, tightly closed, in a cool, well ventilated area away from food, feedstuffs, animals, or fertilisers, and under lock and key. **DO NOT** store product or diluted spray mix in direct sunlight and protect from frost. Stores containing more than 100 litres require emergency response plans and secondary containment systems, and are subject to signage.

**TRANSPORT:** **DO NOT** carry this product on a passenger service vehicle.

**SPILLAGE:** Prevent any product from entering drains. Wear appropriate protective clothing. Absorb spill with an inert material (such as vermiculite, clay granules or synthetic absorbent) and place in a labelled, sealable container for disposal. Wash the spill area with water and detergent, then absorb the washings and place in the same sealable container. Dispose of the container in an approved landfill or under at least 50 cm of soil in a non-crop, non-pasture area away from water sources and homes.

**PERSONAL PROTECTION:** When opening the container, preparing spray and using the spray mix, wear chemical resistant clothing, buttoned to the neck and wrist, a washable hat, boots, impervious gloves, and goggles or face shield.

**GENERAL SAFETY AND HYGIENE MEASURES:** Avoid contact with skin or inhalation of spray mist. Wash splashes of concentrate from skin and eyes immediately. **DO NOT** eat, drink or smoke while using this product. Wash the outside of gloves before removing. Remove protective clothing and wash hands and exposed skin thoroughly with soap and water before meals and after work. After each day's use, wash gloves, contaminated clothing, and face protection. Store work clothing separately.

**USE AND ENVIRONMENTAL PROTECTION:** Before spraying advise residents to remove pets from the area to be treated. Cover or remove (as applicable) fish ponds, aquariums, bird cages, and open food and water containers before spraying. **DO NOT** allow residents, children, other persons or pets into the immediate area during application. Doors and windows adjacent to the application site must be closed during surface application. Apply the spray with well-maintained and accurately calibrated equipment. **DO NOT** apply onto or around fruit trees or edible plants. An inspection should be carried out after treatment to ensure that no spillages or leaks have occurred and if any are identified these must be cleaned up before leaving the application site. **DO NOT** allow people or pets to contact contaminated areas or to re-occupy contaminated areas until the clean up is completed.

Very toxic to fish and aquatic organisms. **DO NOT** spray onto, over or into water. **DO NOT** allow spray drift outside the treatment area to occur. Take care to avoid runoff. **DO NOT** apply if heavy rains are expected to occur within 48 hours of application. Very toxic to bees. Spray must **NOT** contact plants in flower if they are likely to be visited by bees. Clean out application equipment thoroughly after use. **DO NOT** contaminate drains or waterways when disposing of equipment wash waters.

**RE-ENTRY PERIOD:** **DO NOT** enter treated areas until spray has dried.

**RECORD KEEPING:** Records of use must be kept.

**NOTE:** Storage, application and record keeping must be as described in the current version of the New Zealand Standard for the Management of Agrichemicals NZS8409.

**DISPOSAL:** Container: **DO NOT** reuse or refill the container. Triple rinse empty container and add residue to the spray tank. Recycle through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)).

Product: **DO NOT** dispose of undiluted product on site. Dispose of this product only by using according to the label or at an approved landfill. **DO NOT** burn product or empty container. **DO NOT** contaminate water supply with chemical or empty container.

## FIRST AID

If swallowed do NOT induce vomiting. Rinse mouth. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled remove to fresh air immediately and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

## GENERAL INFORMATION

TERMIDOR will control ants, cockroaches, web-spinning spiders, house flies and termites (subterranean, damp wood and dry wood termites) by direct contact and residual activity on treated surfaces. TERMIDOR is best applied as activity increases in early spring. A follow up application during summer may be required. TERMIDOR will control earwigs, daddy-long-legs spiders, house crickets, millipedes and slaters by direct contact (spot treatment) only. DO NOT apply more than two TERMIDOR applications per year.

Chemical treatment for termite control around existing buildings should be considered to be part of an integrated approach to reduce the risk of termite attack and should be conducted by LICENSED PEST CONTROL OPERATORS. Contact BASF for application advice.

## DIRECTIONS FOR USE

Note: Read and follow the precautions for use.

### Restraints:

Avoid runoff.

Do NOT apply to excessively wet soils, immediately after or during heavy rain.

Do NOT apply to edible crops.

Do NOT apply at less than the label rate.

Do NOT apply to internal/indoor surfaces.

Do NOT apply onto or around fruit trees or edible plants.

Pest	Situation	Rate	Critical Comments
<b>Nuisance Ants</b> , including (but not limited to): Argentine Ant ( <i>Linepithema humile</i> ), Black House Ant ( <i>Ochetellus glaber</i> ), Pedicel Ant / Odorous House Ant ( <i>Tapinoma</i> spp.), Pharaoh's Ant ( <i>Monomorium pharanonis</i> ), Whitefooted Ant ( <i>Technomyrmex albipes</i> ).	External areas and surrounds of domestic, commercial, public and industrial buildings and structures	6 ml in 1 litre of water	Treat surfaces 300 mm up and 300 mm out from where the building or structure touches the ground. Apply at the rate of 1 litre of spray mix per 25 lineal metres. Pay particular attention to potential entry points, such as weep holes, cracks and crevices. Also apply to ant trails and where ants are active away from the nest. Structures may include retaining walls, fences, garden borders, sheds etc.

Pest	Situation	Rate	Critical Comments
<p><b>Nesting Ants</b>, including (but not limited to):            Funnel Ant (<i>Aphaenogaster pythia</i>),            Greenhead Ants (<i>Rhytidoponera</i> spp.),            Meat Ants (<i>Iridomyrmex</i> spp.),            Red Imported Fire Ant (<i>Solenopsis invicta</i>),            Yellow Crazy Ant (<i>Anoplolepis gracilipes</i>).</p>	<p>Spot application to nests in domestic situations.</p>	<p>6 ml in 1 litre of water</p>	<p>Treat the nest entrance or mound, and where ants are active away from the nest. Apply at the rate 1 litre of spray mix per 16 m<sup>2</sup>, or 60 ml per m<sup>2</sup>.</p>
<p><b>Cockroaches</b> including (but not limited to):            American Cockroaches (<i>Periplaneta americana</i>)            Australian Cockroaches (<i>Periplaneta australasiae</i>)            Oriental Cockroaches (<i>Blattella orientalis</i>)            Smokybrown Cockroaches (<i>Periplaneta fuliginosa</i>)</p>	<p>External areas and surrounds of domestic, commercial, public and industrial buildings and structures</p>	<p>6 ml in 1 litre of water</p>	<p>Treat external surfaces 300 mm up and 300 mm out from where the building or structure touches the ground. Apply at the rate of 1 litre spray mix per 25 lineal metres. Pay particular attention to potential entry points, such as weep holes, cracks and crevices.            Also apply to where pest(s) may be active away from the building including retaining walls, fences, garden beds, sheds etc. Apply at the rate of 1 litre of spray mix per 16 m<sup>2</sup>.</p>
<p><b>Web-spinning spiders</b> including (but not limited to): Black House Spider (<i>Baduma insignis</i>) and Red Back Spider (<i>Lacrodectus hasseltti</i>)</p>	<p>External areas and surrounds of domestic, commercial, public and industrial buildings and structures</p>	<p>6 ml in 1 litre of water</p>	<p>Spray spiders, their webbing and areas where spiders may hide at the rate of 1 litre of spray mix per 16 m<sup>2</sup>.</p>

Pest	Situation	Rate	Critical Comments
<b>Daddy-Long-Legs Spiders</b> <i>(Pholcus phalangoides)</i> <b>Earwigs</b> <i>(Forficula auricularia)</i> <b>House Crickets</b> <i>(Acheta domesticus)</i> <b>Millipedes</b> <i>(Julus hesperus)</i> <b>Slaters</b> <i>(Armadillidium vulgare)</i>	External areas and surrounds of domestic, commercial, public and industrial buildings and structures	6 ml in 1 litre of water	Apply directly onto spiders, millipedes, house crickets, earwigs and slaters as a spot treatment.
<b>Houseflies</b> <i>(Musca domestica)</i>	External covered areas of domestic, commercial, public and industrial buildings and structures.	6 ml in 1 litre of water	Apply to external surfaces where flies are likely to rest at the rate of 1 litre of spray mix per 16 m <sup>2</sup> .
<b>Termites</b> (subterranean, damp wood and dry wood termites) including (but not limited to): <i>Coptotermes acinaciformis</i> , <i>Mastotermes darwiniensis</i> , <i>Schedorhinotermes</i> spp.	Pre-construction, Post-construction, Reticulation systems, protection of poles and fence posts, nests in poles and trees, wall cavity treatment.	600 mL in 100 litres water (0.06% a.i. mix)	Application by LICENSED PEST CONTROL OPERATORS:  Contact BASF for specific application advice.

### MIXING

Half fill the spray tank with water and then add the required quantity of TERMIDOR. Stir and then top up the spray tank to the required volume. DO NOT use this product in a tank mix with other insecticides as the behaviour and efficacy of the product may be affected. Ensure equipment is free of leaks and clean from residues of other chemicals before mixing TERMIDOR. The use of a sprayer dedicated for the application of TERMIDOR is recommended.

### IMPORTANT

Animal Product Processing Plants, Farm Dairies and Dairy Processing Plants: For use on external environment only. Not for use within processing facilities, near air inlets, water supplies, storage areas (including cleaning chemical storage) or packaging materials including pallets. Use in a manner that prevents the entry of the insecticide into edible product areas or stores containing packaging material.

## CONDITIONS OF SUPPLY

Read conditions of supply before buying and using. If these conditions are unacceptable, return at once unopened. All goods supplied by BASF New Zealand Ltd. are of a high grade and conform to the chemical description of the label. However, to the extent permitted by law, neither BASF nor any of its Distributors accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with the supply of those goods including without limitation their storage, application, handling or use. BASF New Zealand Ltd. nor any of its Distributors, make no warranties of any kind, express or implied, with respect to fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter with respect to these goods. When you are a consumer as defined in the Consumer Guarantees Act 1993 (the "Act") these conditions will be subject to the provisions of the Act. However the Act will not apply to goods supplied to you for business purposes.

Approved pursuant to the HSNO Act 1996, Code HSR100550.  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

MPI approved Type B (All animal product except dairy).  
MPI approved for use in Farm Dairies and Recognized for use in Dairy Processing.

Date of Manufacture:  
Batch Number:



### EMERGENCY PHONELINK

24 Hour Advice in an Emergency Only

**0800 944 955**

© Copyright 2016, BASF New Zealand Limited

||||||| BAR CODE |||||