

Safety Data Sheet

Page 1 of 11

BASF Safety Data Sheet
Date / Revised: 09.09.2026
Product: **Seclira® WSG**

Version: 1.0

1. Identification

Product identifier

SECLIRA® WSG

Recommended uses and restrictions on use (if any)

Recommended use:

Biocidal product, insecticide.

Restricted use:

Use according to label.

Manufacturer / Supplier

BASF New Zealand Limited
5E City Works Depot,
77 Cook Street
Auckland 1010
NEW ZEALAND

Phone: + 64 9 255 4300
0800 932 273
E-mail address: reception@basf-nz.co.nz

Emergency telephone number

National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24-hour advice in an emergency only)

2. Hazard Identification

Classification of the substance or mixture

Aquatic environment – acute	: Category 1
Aquatic environment - chronic	: Category 1
Hazardous to soil organisms	
Hazardous to terrestrial vertebrates	
Hazardous to terrestrial invertebrates	

GHS Label Elements, including Precautionary Statements:

Signal Word:

WARNING.

Pictograms:GHS Hazard Statements

H400 : Very toxic to aquatic life.
 H410 : Very toxic to aquatic life with long lasting effects.

GHS Precautionary Statements (Prevention)

P101 : If medical advice is needed, have product container or label at hand.
 P102 : Keep out of reach of children.
 P103 : Read label before use.

GHS Precautionary Statements (Response)

P391 : Collect spillage.

GHS Precautionary Statements (Storage)

No specific storage requirements.

GHS Precautionary Statements (Disposal):

P501 : Dispose of contents/container to hazardous or special waste collection point.
 Information regarding disposal considerations can be found in section 13.

Other hazards

No other hazards known.
 See section 12 - Results of PBT and vPvB assessment.

To avoid risks to human health and the environment, comply with the instructions for use.
 If applicable, information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesHazardous ingredients (GHS)

According to UN GHS criteria

Dinotefuran (ISO)	
Content (W/W):	40 %
CAS Number:	165252-70-0

4. First-Aid Measures**Description of necessary first aid measures**General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Immediately wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms:

Information, i.e. additional information on symptoms and effects may be included in the GHS labelling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far.

Indication of any immediate medical attention and special treatment needed

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Medical advice:

Contact the National Poisons and Hazardous Chemicals Information centre.
Phone 0800 POISON (0800 764 766).

5. Fire-Fighting Measures

Suitable extinguishing media

Water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons

carbon dioxide

Specific hazards

carbon monoxide, carbon dioxide, nitrogen oxides, acid halides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and chemical-protective clothing.

Precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, Protective equipment and Emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep / shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labelled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions:

Keep away from heat. Protect against moisture. Protect from direct sunlight.

Storage stability: 36 months.

8. Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 1489, Type P3 or FFP3).

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Standard work clothes and shoes.

General safety and hygiene measures

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

9. Physical and Chemical Properties

Form:	Solid
Colour:	white
Odour:	odourless
Odour threshold:	Not applicable, odour not perceivable
pH value:	Approx. 5 – 7 (water, 1%(m), 22.8°C)
Melting point range:	Approx. 78- 109 °C
Boiling point:	The product has not been tested
Flash point:	Not applicable, the product is a solid
Evaporation rate:	Not applicable
Flammability (solid/gas):	Not flammable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	not applicable, the product is a solid
Thermal decomposition:	150 °C , 240 kJ/kg (onset temperature) 210 °C , 100 kJ/kg (onset temperature) 310 °C , 460 kJ/kg (onset temperature)
Self ignition:	Not self-igniting
Self-heating ability:	It is not a substance capable of spontaneous heating.
SADT	>75 °C
Explosion hazard:	Not explosive
Fire promoting properties:	Not fire-propagating
Vapour pressure:	Not applicable
Bulk density:	Approx.. 0.51 g/mL
Relative vapour density (air):	Not determined
Solubility in water:	Dispersible The statements are based on the properties of the individual components.
Partitioning coefficient n-octanol/water (log Pow):	Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Partitioning coefficient n-octanol/water (log Pow): -0.549 (25 °C)
Viscosity, dynamic:	Not applicable, the product is a solid
Viscosity, kinematic:	Not applicable, the product is a solid

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Thermal decomposition: 150 °C, 240 kJ/kg (onset temperature)

Thermal decomposition: 210 °C, 100 kJ/kg (onset temperature)

Thermal decomposition: 310 °C, 460 kJ/kg (onset temperature)

Incompatible materials / Substances to avoid

Strong oxidizing agents, strong acids, strong bases

Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg

LC50 rat (by inhalation): > 5.09 mg/l 4 h.
No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg

Skin Corrosion / Irritation

Assessment of irritating effects:

Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious Eye Damage / Irritation

Assessment of irritating effects:

Not irritating to the eyes.

Experimental/calculated data:

Serious eye damage/irritation rabbit: non-irritant.

Respiratory or Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitising potential.

Experimental/calculated data:

Modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components

Aspiration hazard

Not applicable.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity - Aquatic

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish:

LC50 (96 h): >100 mg/l, *Cyprinus carpio*

Aquatic invertebrates:

EC50 (48 h): > 1,000 mg/l, *Daphnia magna*

EC50 (96 h): 0.79 mg/l, *Mysidopsis bahia*

LC50 (48 h): 0.0721 mg/l, *Chironomus riparius*

Aquatic plants:

EC50 (72 h): 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

Aquatic invertebrates:

No observed effect concentration (27 d), 0.003 mg/l, *Chironomus riparius*

Ecotoxicity - Terrestrial

Assessment of terrestrial toxicity:

Classified as hazardous to terrestrial vertebrates. The product has not been tested. The statement has

been derived from the properties of the substance or the active ingredient.

Toxicity to birds:

Acute oral LD50: 308 mg ai/kg bw, Zebra finch, *Taeniopygia guttata*, Dinotefuran

Toxicity to soil organisms:

LC50 (28d): 4.9 mg ai/kg, *Eisenia fetida*, Dinotefuran

Toxicity to Pollinators:

LD50 (48h, oral): 0.023 µg ai/bee, *Apis mellifera*, Dinotefuran

LD50 (48h, contact): 0.056 µg ai/bee, *Apis mellifera*, Dinotefuran

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependent on degradation - be transported to deeper soil areas with larger water loads.

Other adverse effects

Other ecotoxicological advice:

Do not discharge product into the environment without control.

Do not apply onto or into water.

13. Disposal Considerations

Container:

Triple rinse empty container and add rinsate to the spray tank. Recycle through Agrecovery (0800 247 326, www.agrecovery.co.nz). Do not use container for any other purpose.

Product:

Dispose of this product only by using according to the label or at an approved facility. Do NOT burn product. Do NOT contaminate water with product or used container. Waste product/packaging may be sent to a suitable incineration plant, observing local regulations.

Contaminated Packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance / product.

14. Transport Information

Commercial transport:

Classified as dangerous good(s) for Land/rail (ADR/RID), sea (IMDG) and air transport (ICAO/IATA):

Land / Rail / Road (ADR/RID):

UN number:	UN 3077
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains Dinotefuran)
Transport hazard class(es) / UN DG Class:	9, (EHSM)
Packing group:	III
Environmental hazards:	Marine pollutant
HAZCHEM:	2Z
IERG Number:	47
Special precautions when transporting the substance:	None known

Sea transport (IMDG):

UN number:	UN 3077
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains Dinotefuran)
Transport hazard class(es):	9, (EHSM)
Packing group:	III
Environmental hazards:	Marine pollutant
Marine pollutant:	Yes
Special precautions when transporting the substance:	EmS: F-A; S-B

Air transport (IATA / ICAO):

UN number:	UN 3077
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains Dinotefuran)
Transport hazard class(es):	9, (EHSM)
Packing group:	III
Environmental hazards:	Yes, marine pollutant
Special precautions when transporting the substance:	None known

BASF Safety Data Sheet
 Date / Revised: 09.09.2026
 Product: **SECLIRA® WSG**

Version 1

Additional Information:

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3).

15. Regulatory Information**HSNO Approval Number**

HSR101727

See www.epa.govt.nz for approval conditions.**Tolerable Exposure Limit or Environmental Exposure Limit**

TEL:	None set
EEL:	None set

Relevant Regulatory Requirements

Qualifications:	Required. Refer to label.
Certified Handler:	Not required
Tracking:	Not required
Record Keeping:	Required. Refer to label.
Restricted to Workplace:	Not applicable
Controlled substance licence:	Not required

International Agreements related to the substance such as Montreal Protocol, the Stockholm Convention or Rotterdam Convention

not applicable

16. Other Information**Date of preparation of the SDS**

9 September 2026

Key or legend to abbreviations and acronyms used

ACGIH	The American Conference of Governmental Industrial Hygienists
ACVM	Agricultural Compounds and Veterinary Medicines
ADN	International Carriage of Dangerous Goods by Inland Waterways (EU)
ADR/RID	Dangerous Goods for Road / Rail
DG	Dangerous Goods
EC50	Median effective concentration

EEL	Environmental Exposure Limit
EHSM	Environmental Health and Safety Management
EPA	Environmental Protection Authority
EU	European Union
GHS	Globally Harmonised System
ICAO	International Civil Aviation Organisation
IATA	International Air Transport Association
IERG	International Emergency Response Guide
IMDG	International Maritime Dangerous Goods
LD50	Lethal concentration to 50% of the test population
NOEC	No Observed Effect Concentration

BASF Safety Data Sheet

Date / Revised: 09.09.2026

Product: **SECLIRA® WSG**

Version 1

N.O.S.	Not Otherwise Specified
OEL	Operator Exposure Limits
PBT or vPvP	Persistent / Bioaccumulative / Toxic or very Persistent / very Bioaccumulative
SDS	Safety Data Sheet
STOT	Specific Target Organ Toxicity
TDG	Transportation of Dangerous Goods
TEL	Tolerable Exposure Limit
TLVs	Threshold Limit Values
UN GHS	United Nations Globally Harmonised System
WES	Workplace Exposure Standards
49CFR	Code of Federal Regulations Title 49 for Transportation

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.