

Safety Data Sheet

Page 1 of 11

BASF Safety Data Sheet

Date / Revised: 12.10.2026

Product: **SECLIRA® Pressurised Bait**

(Version 1.1)

1. Identification

Product identifier

SECLIRA® Pressurised Bait

Recommended uses and restrictions on use (if any)

Recommended use:

Biocidal product, insecticide.

Restricted use:

Use according to label.

Manufacturer / Supplier

BASF New Zealand Limited
5E City Works Depot,
77 Cook Street
Auckland 1010
NEW ZEALAND

Phone: + 64 9 255 4300
0800 932 273

E-mail address: reception@basf-nz.co.nz

Emergency telephone number

National Poisons Centre: 0800 764 766

BASF Emergency Advice Number: 0800 944 955 (24-hour advice in an emergency only)

2. Hazard Identification

Classification of the substance or mixture

Aerosol	:	Category 1
Aquatic environment - chronic	:	Category 2
Hazardous to soil organisms		
Hazardous to terrestrial vertebrates		

GHS Label Elements, including Precautionary Statements:

Signal Word:

DANGER.

BASF Safety Data Sheet

Date / Revised: 12.10.2026

Product: **SECLIRA® Pressurised Bait**

(Version 1.0)

Pictograms:GHS Hazard Statements

H222 : Extremely flammable aerosol.
 H229 : Pressurised container: may burst if heated
 H411 : Toxic to aquatic life with long lasting effects

GHS Precautionary Statements (Prevention)

P102 : Keep out of reach of children.
 P103 : Read label before use.
 P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 : Do not spray on an open flamer or other ignition source
 P251 : Do not pierce or burn, even after use.

GHS Precautionary Statements (Response)

P391 : Collect spillage.

GHS Precautionary Statements (Storage)

P403 + P233 : Store in a well-ventilated place. Keep container tightly closed.
 P410 + P412 : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

GHS Precautionary Statements (Disposal):

P501 : Dispose of contents/container to hazardous or special waste collection point.
 Information regarding disposal considerations can be found in section 13.

Other hazards

No other hazards known.

See section 12 - Results of PBT and vPvB assessment.

To avoid risks to human health and the environment, comply with the instructions for use.
 If applicable, information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesHazardous ingredients (GHS)

According to UN GHS criteria

Dinotefuran (ISO)	
Content (W/W):	40 %
CAS Number:	165252-70-0
2-Propanon	
Content (W/W):	< 30 %
CAS Number:	67-64-1
Dimethyl ether	
Content (W/W):	<20%
CAS Number:	115-10-6

4. First-Aid Measures

Description of necessary first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms:

Information, i.e. additional information on symptoms and effects may be included in the GHS labelling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far.

Indication of any immediate medical attention and special treatment needed

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Medical advice:

Contact the National Poisons and Hazardous Chemicals Information centre.
Phone 0800 POISON (0800 764 766).

5. Fire-Fighting Measures

Suitable extinguishing media

Water spray, dry powder, foam, carbon dioxide

Specific hazards

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and chemical-protective clothing.

Precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, Protective equipment and Emergency procedures

Do not breathe vapour/spray.
Use personal protective clothing.
Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil.
Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions:

Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Storage stability: 36 months.

Protect from temperatures above 50°C.

The packed product must be protected against exceeding the indicated temperature.

8. Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits

Component: acetone
 CAS Number: 67-64-1
 TWA Value: 500 ppm / 1.185 mg/m³ (source: WES)

Component: dimethyl ether
 CAS Number: 115-10-6
 TWA Value: 400 ppm / 760 mg/m³ (source: WES)

Engineering controls

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Hand protection not required.

Suitable chemical resistant safety gloves (EN 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Eye protection not required.

Body protection:

Body protection not required.

General safety and hygiene measures

Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	Liquid
Colour:	Pale straw yellow
Odour:	Of acetone
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	Approx. 8-10 (deionized water, 1 %(m), 25 °C)
Melting point range:	The product has not been tested
Boiling point:	Approx -23.7 °C. Information applies to the solvent
Flash point:	-41 °C. Information applies to the solvent
Evaporation rate:	Not applicable
Flammability (solid/gas):	Highly flammable
Lower explosion limit:	3.3 %(V). Information applies to the solvent.
Upper explosion limit:	26.2 %(V). Information applies to the solvent.
Self-Ignition temperature:	350°C. Information applies to the solvent.
Vapour pressure:	Approx. 5,100 hPa (20 °C). Information applies to the solvent.
Density:	Approx. 1.00 g/cm ³ (20°C)
Relative vapour density (air):	Not applicable

BASF Safety Data Sheet
 Date / Revised: 12.10.2026
 Product: **SECLIRA® Pressurised Bait**

(Version 1.0)

Solubility in water:	Dispersible The statements are based on the properties of the individual components.
Partitioning coefficient n-octanol/water (log Pow):	Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Partitioning coefficient n-octanol/water (log Pow): -0.549 (25 °C)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Self-heating ability:	It is not a substance capable of spontaneous heating.
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.
Viscosity, dynamic:	Approx. 2.34 mPa.s (20 °C)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Incompatible materials / Substances to avoid

Strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually non-toxic after single ingestion. Virtually non-toxic after a single skin contact. Virtually non-toxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg
No mortality was observed.

LC50 rat (by inhalation): > 5.09 mg/l 4 h.
No mortality was observed.

LD50 rat (dermal): > 5,000 mg/kg
No mortality was observed.

Skin Corrosion / Irritation

Assessment of irritating effects:

Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious Eye Damage / IrritationAssessment of irritating effects:

Not irritating to the eyes.

Experimental/calculated data:

Serious eye damage/irritation rabbit: non-irritant.

Respiratory or Skin sensitizationAssessment of sensitization:

There is no evidence of a skin-sensitising potential.

Experimental/calculated data:

Modified Buehler test guinea pig: Non-sensitising.

Germ cell mutagenicityAssessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

CarcinogenicityAssessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicityAssessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicityAssessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

Not applicable.

Other relevant toxicity information

Misuse can be harmful to health. Has a degreasing effect on skin.

12. Ecological Information

Ecotoxicity - Aquatic

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish:

LC50 (96 h): >100 mg/l, *Cyprinus carpio*

Aquatic invertebrates:

EC50 (48 h): > 1,000 mg/l, *Daphnia magna*

EC50 (96 h): 0.79 mg/l, *Mysidopsis bahia*

LC50 (48 h): 0.0721 mg/l, *Chironomus riparius*

Aquatic plants:

EC50 (72 h): 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

Aquatic invertebrates:

No observed effect concentration (27 d), 0.003 mg/l, *Chironomus riparius*

Ecotoxicity - Terrestrial

Assessment of terrestrial toxicity:

Classified as hazardous to terrestrial vertebrates. The product has not been tested. The statement has been derived from the properties of the substance or the active ingredient.

Toxicity to birds:

Acute oral LD50: 308 mg ai/kg bw, Zebra finch, *Taeniopygia guttata*, Dinotefuran

Toxicity to soil organisms:

LC50 (28d): 4.9 mg ai/kg, *Eisenia fetida*, Dinotefuran

Toxicity to Pollinators:

LD50 (48h, oral): 0.023 µg ai/bee, *Apis mellifera*, Dinotefuran

LD50 (48h, contact): 0.056 µg ai/bee, *Apis mellifera*, Dinotefuran

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

BASF Safety Data Sheet
 Date / Revised: 12.10.2026
 Product: **SECLIRA® Pressurised Bait**

(Version 1.0)

Mobility in soil

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependent on degradation - be transported to deeper soil areas with larger water loads.

Other adverse effects

Other ecotoxicological advice:

Do not discharge product into the environment without control. Do not apply onto or into water.

13. Disposal Considerations

Container:

Must be sent to a suitable incineration plant, observing local regulations.

Product:

Dispose of this product only by using according to the label or at an approved facility. Do NOT burn product. Do NOT contaminate water with product or used container. Waste product/packaging may be sent to a suitable incineration plant, observing local regulations.

Contaminated Packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance / product. Emptied gas pressure vessels must not be opened.

14. Transport Information

Commercial transport:

Classified as dangerous good(s) for Land/rail (ADR/RID), sea (IMDG) and air transport (ICAO/IATA):

Land / Rail / Road (ADR/RID):

UN number:	UN 1950
UN proper shipping name:	AEROSOLS (DINOTEFURAN)
Transport hazard class(es) / UN DG Class:	2.1, (EHSM)
Packing group:	Not applicable
Environmental hazards:	Marine pollutant
HAZCHEM:	2Z
IERG Number:	49
Special precautions when transporting the substance:	None known

Sea transport (IMDG):

UN number:	UN 1950
UN proper shipping name:	AEROSOLS, FLAMMABLE (DINOTEFURAN)
Transport hazard class(es):	2.1, (EHSM)
Packing group:	Not applicable
Environmental hazards:	Marine pollutant
Marine pollutant:	Yes
Special precautions when transporting the substance:	EmS: F-D; S-U

BASF Safety Data Sheet

Date / Revised: 12.10.2026

Product: **SECLIRA® Pressurised Bait**

(Version 1.0)

Air transport (IATA / ICAO):

UN number:	UN 1950
UN proper shipping name:	AEROSOLS, FLAMMABLE (DINOTEFURAN)
Transport hazard class(es):	2.1, (EHSM)
Packing group:	Not applicable
Environmental hazards:	Yes, marine pollutant
Special precautions when transporting the substance:	None known

Additional Information:

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3).

15. Regulatory Information**HSNO Approval Number**

HSR101730.

See www.epa.govt.nz for approval conditions.**Tolerable Exposure Limit or Environmental Exposure Limit**

TEL:	None set
EEL:	None set

Relevant Regulatory Requirements

Qualifications:	Required. Refer to label.
Certified Handler:	Not required
Tracking:	Not required
Record Keeping:	Required. Refer to label.
Restricted to Workplace:	Not applicable
Controlled substance licence:	Not required

International Agreements related to the substance such as Montreal Protocol, the Stockholm Convention or Rotterdam Convention

Not applicable

BASF Safety Data Sheet

Date / Revised: 12.10.2026

Product: **SECLIRA® Pressurised Bait**

(Version 1.0)

16. Other Information

Date of preparation of the SDS

12 October 2026

Key or legend to abbreviations and acronyms used

ACGIH	The American Conference of Governmental Industrial Hygienists
ACVM	Agricultural Compounds and Veterinary Medicines
ADN	International Carriage of Dangerous Goods by Inland Waterways (EU)
ADR/RID	Dangerous Goods for Road / Rail
DG	Dangerous Goods
EC50	Median effective concentration
EEL	Environmental Exposure Limit
EHSM	Environmental Health and Safety Management
EPA	Environmental Protection Authority
EU	European Union
GHS	Globally Harmonised System
ICAO	International Civil Aviation Organisation
IATA	International Air Transport Association
IERG	International Emergency Response Guide
IMDG	International Maritime Dangerous Goods
LD50	Lethal concentration to 50% of the test population
NOEC	No Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OEL	Operator Exposure Limits
PBT or vPvP	Persistent / Bioaccumulative / Toxic or very Persistent / very Bioaccumulative
SDS	Safety Data Sheet
STOT	Specific Target Organ Toxicity
TDG	Transportation of Dangerous Goods
TEL	Tolerable Exposure Limit
TLVs	Threshold Limit Values
UN GHS	United Nations Globally Harmonised System
WES	Workplace Exposure Standards
49CFR	Code of Federal Regulations Title 49 for Transportation

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.